



MeterBoxesDirect.co.uk



## IP55 DOUBLE DOOR KIOSK BY TRICEL

500x1000x300mm

STOCK CODE: 102215



**TRICEL**  
CONSTRUCTION

# IP55 DOUBLE DOOR KIOSK BY TRICEL

500x1000x300mm

STOCK CODE: 102215



BUY ONLINE NOW

## SPECIFICATIONS AND KEY FEATURES

- Made from fiberglass reinforced polyester
- Weight: 30 kg
- No. doors: 2
- Colour: Grey Ral7035
- Fire Retardant: self-extinguishing 960 degrees test. Halogen free.
- Electromagnetic compatible: double insulation. No electrical contact risks.
- IP55 Kiosk
- IEC6228 certified
- Suitable for indoor or outdoor use
- Triple lock system for added security and maintaining IP rating
- 180 degrees door opening
- UV resistant, ideal for inclement weather conditions
- Easy to install in the ground with a pedestal, in concrete, on tarmac or attached to machinery.

## ENVIRONMENTAL PERFORMANCE

- Minimum temperature -30°C
- Maximum temperature +70°C
- Compression resistance 100 Kg
- IP55 weather protection
- Impact protection degree IK10



**Example: double door kiosk**

\* Approximate dimensions.

In accordance with Tricel's normal policy of product development these specifications are subject to change without notice.

Tricel (Gloucester) Ltd. - Fox House, Stonedale Road, Stonehouse, Gloucestershire, GL10 3SA, United Kingdom.

Tel: 0844 809 4206 | Email: [onlinesales@meterboxesdirect.co.uk](mailto:onlinesales@meterboxesdirect.co.uk) | [www.meterboxesdirect.co.uk](http://www.meterboxesdirect.co.uk)

# IP55 DOUBLE DOOR KIOSK BY TRICEL

500x1000x300mm

STOCK CODE: 102215



BUY ONLINE NOW

## INTERNAL DIMENSIONS & CAPACITY

- Dimensions: 468mm high x 428mm wide x 240mm deep
- Capacity: 0.048m<sup>3</sup> per section, total capacity 0.0961m<sup>3</sup>

## ELECTRICAL PERFORMANCE

- Nominal tension direct current up to 1500Vdc
- Nominal tension alternative current up to 1000Vac

## INSTALLATION AND ASSEMBLY

- Inside installation
- Outdoor installation
- Floor mounting
- Pedestal mounting
- Product supplied assembled

## ASSOCIATED PRODUCTS

- [EC1001: Black Hockey Stick](#) suitable for use inside cavity walls
- [EC1002: White Hockey Stick](#) suitable for use on external walls
- [Backplate 500500BK](#) (required quantity: 2)
- [Pedestal 102214](#) (required quantity: 2)



**Central divider can be cut or drilled to suit customer requirements.**

**Door locking mechanism must not be interfered with.**

\* Approximate dimensions.

In accordance with Tricel's normal policy of product development these specifications are subject to change without notice.

Tricel (Gloucester) Ltd. - Fox House, Stonedale Road, Stonehouse, Gloucestershire, GL10 3SA, United Kingdom.

Tel: 0844 809 4206 | Email: [onlinesales@meterboxesdirect.co.uk](mailto:onlinesales@meterboxesdirect.co.uk) | [www.meterboxesdirect.co.uk](http://www.meterboxesdirect.co.uk)