





### **IP43 DOUBLE DOOR KIOSK BY TRICEL**

1000x1000x300mm STOCK CODE: 102217





### SPECIFICATIONS AND KEY FEATURES

- Made from fiberglass reinforced polyester
- Weight: 43 kg
- No. doors: 2
- Colour: Grey Ral7035
- Fire Retardant: self-extinguishing 960 degrees test. Halogen free.
- Electromagnetic compatible: double insulation. No electrical contact risks.
- IP43 Kiosk
- Compliant with IEC 62208 (2011) empty enclosures for low voltage switchgear.
- Suitable for indoor or outdoor use
- Triple lock system for added security and maintaining IP rating
- 180 degrees door opening
- UV resistant, ideal for inclement weather conditions
- Easy to install in the ground with a pedestal, in concrete, on tarmac or attached to machinery.

### ENVIRONMENTAL PERFORMANCE

- Minimum temperature -30°C
- Maximum temperature +70
- Compression resistance 100 Kg
- IP43 weather protection
- Impact protection degree IK10



Example: double door klosk



Approximate dimensions.

accordance with Tricel's normal policy of product development these specifications are subject to change without notice.

Tricel (Gloucester) Ltd. - Fox House, Stonedale Road, Stonehouse, Gloucestershire, GL10 3SA, United Kingdom. Tel: 0844 809 4206 | Email: onlinesales@meterboxesdirect.co.uk | www.meterboxesdirect.co.uk

#### **INTERNAL DIMENSIONS & CAPACITY**

- Dimensions: 971mm high x 428mm wide x 240mm deep
- Capacity: 0.099m<sup>3</sup> per section, total capacity 0.199m<sup>3</sup>

# ELECTRICAL PERFORMANCE

- Nominal tension direct current up to 1500Vdc
- Nominal tension alternative current up to I000Vac

# INSTALLATION AND ASSEMBLY

- Inside installation
- Outdoor installation
- Floor mounting
- Pedestal mounting
- Product supplied assembled

## ASSOCIATED PRODUCTS

- <u>105218:44mm Hockey Stick suitable for use on internal and external walls</u>
- EC1002: 38mm Hockey Stick suitable for use on internal and external walls
- <u>Backplate 102653 (required quantity: 2)</u>
- Pedestal 102214 (required quantity: 2)



Central divider can be cut or drilled to suit customer requirements.

Door locking mechanism must not be interfered with.



<sup>o</sup> Approximate dimensions.

n accordance with Tricel's normal policy of product development these specifications are subject to change without notice.

Tricel (Gloucester) Ltd. - Fox House, Stonedale Road, Stonehouse, Gloucestershire, GL10 3SA, United Kingdom. Tel: 0844 809 4206 | Email: onlinesales@meterboxesdirect.co.uk | www.meterboxesdirect.co.uk

BUY ONLINE NOW